Journal of Orthopaedic Research
15:932-934 The Journal of Bone and Joint Surgery, Inc.
© 1997 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 15, 1997

AUTHOR INDEX

Aamodt A, 927
Abrahamsson S-O, 256
Abrams RA, 664
Aebi M, 141
Aerssens J, 391
Allen D, 243
Amiel D, 197, 670, 803
An K-N, 348
Anderson E, 927
Andriacchi TP, 629
Aoyama I, 307
Arai Y, 150
Arakal R, 570
Aronson J, 221, 563
Ateshian GA, 468
Athanasiou KA, 437
Augat P, 577
Awa T, 307
Ayers DC, 62, 700

Bachrach LK, 473
Backman DS, 719
Bader DL, 181
Badger TM, 221, 563
Balian G, 675
Ballock RT, 463
Baratta RV, 314
Bartel DL, 57, 700
Bavington C, 742
Bay BK, 593
Behrens FF, 570
Benton HP, 204
Benum P, 927
Beynnon BD, 707
Bingmann D, 558
Bodine-Fowler SC, 664
Boehm CA, 546
Boesch C, 141
Bogoch ER, 858
Boos N, 141
Booth D, 894
Botte MJ, 664
Bouillon R, 391
Boyan BD, 371
Bray RC, 830
Brennan FR, 40
Brochmann Murray EJ, 585
Broström L-Å, 727
Brunet JA, 719
Buchanan TS, 11
Buckwalter JA, 161, 323, 491
Buschmann MD, 189

Cao M, 18
Carter DR, 473
Casper RF, 118
Chao EYS, 773
Chen AC, 197, 499, 791
Chen L-E, 243, 512
Claes L, 577
Clark J, 76
Clausen JD, 342
Clohisy DR, 301
Colman WW, 468
Commisso CN, 682
Coutts RD, 197, 670, 803
Crabb ID, 162
Crawford RP, 101
Cuizon D, 519
Currey JD, 111, 862

Damron TA, 62
Das P, 87
Davey JP, 664
Dawson JM, 844
Day CS, 227, 894
Dean DD, 371
Dequeker J, 391
Deutsch TF, 748
Dodd CM, 213
Doschak MR, 830
Dounchis JS, 803
Dreier D, 141
Duarte MEL, 585
Duncan NA, 814
Dunne E, 742
Dvorak J, 881

Eckstein F, 808
Eggli P, 189
Eine J, 927
Einhorn TA, 757
Ellerbroek SM, 491
Englmeier K-H, 808
Erickson DM, 371
Evans CH, 442
Evans RP, 414

Faber S, 808
Fabry G, 391
Feeney W, 519
Finerman GAM, 657
Fitzsimmons JS, 682
Floyd SS Jr, 227, 894
Foreman J, 111
Fox RJ, 285
Frank CB, 161, 323, 652
Frassica FJ, 773
Fridén T, 637
Fu FH, 278, 285, 894
Fujioka H, 675
Fujita Y, 814
Fukuda H, 24, 33

Gage JR, 615
Galante JO, 629
Gao GG, 563
Georgescu HI, 18
Germiller JA, 362
Gershuni DH, 519
Gibbons DF, 1
Gibeling JC, 607
Gibson VA, 607
Glant TT, 40
Godolphin JL, 742
Goel VK, 342
Goldstein SA, 362
Gonzales JB, 50
Goodship AE, 862
Goomer RS, 803
Goss BC, 263
Gotoh M, 24, 33
Grelsamer RP, 468
Griffin LV, 607
Griffith D, 414
Grills BL, 235
Grisanti M, 585
Grob D, 881
Gross TS, 830
Growney ES, 348
Grynpas MD, 118
Gurskis D, 499
Gustilo RB, 688

Halili RB, 197
Hamada K, 24, 33
Hamlet WP, 657
Han JS, 69
Hanada K, 307
Hannafin JA, 427
Hant JJ, 197
Hargens A, 422
Hargens AR, 507
Haro H, 734
Harris MA, 371
Harris SE, 371
Harten RD Jr, 570
Harwood FL, 803
Haubner M, 808
Haugh LD, 707
Haut RC, 450
Haven M, 519
Hayashi K, 904
Hayden SW, 615
Healey RM, 670
Henry JH, 468
Heydemann A, 463
Hickey GJ, 519
Hickmon SG, 249, 414
Hicks DG, 162
Higuchi F, 888
Hilfiker E, 141
Hillstrom H, 331
Hirasawa Y, 150, 670
Hiyama Y, 307
Hoffman AR, 94
Hogue WR, 221
Hora D Jr, 519
Hora J, 141
Horibe S, 294, 837
Horowitz SM, 50
Hotokezaka S, 911
Howell SM, 263, 539
Huard J, 227, 894
Hubbard M, 593
Huie P, 94
Hukuda S, 133
Hulet CH, 629
Hull ML, 263, 539
Hung S-C, 381
Hunziker E, 189
Hurowitz E, 570
Hurwitz DE, 629
Hurwitz SR, 675
Husby OS, 927

Iatridis JC, 318
Imai S, 133
Imamura T, 820
Imanishi J, 150
Inoue A, 33, 128, 888
Ishidou Y, 820
Ishii H, 719
Itoh K, 128
Iwasaki K, 175
Izumi T, 463

Jacks TM, 519
Jacobs JJ, 40
Jiranek WA, 712
Jobanputra P, 742
Johnson KD, 844
Johnson ME, 348
Jukkala-Partio K, 124

Kahan NJ, 507
Kajiyama G, 919
Kaneda K, 904
Kasemkijwattana C, 894
Kasra M, 118
Kato M, 820
Kavalkovich KW, 18
Kawaguchi H, 307

Journal of Orthopaedic Research
15:932-934 The Journal of Bone and Joint Surgery, Inc.
© 1997 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 15, 1997

AUTHOR INDEX

Aamodt A, 927
Abrahamsson S-O, 256
Abrams RA, 664
Aebi M, 141
Aerssens J, 391
Allen D, 243
Amiel D, 197, 670, 803
An K-N, 348
Anderson E, 927
Andriacchi TP, 629
Aoyama I, 307
Arai Y, 150
Arakal R, 570
Aronson J, 221, 563
Ateshian GA, 468
Athanasiou KA, 437
Augat P, 577
Awa T, 307
Ayers DC, 62, 700

Bachrach LK, 473
Backman DS, 719
Bader DL, 181
Badger TM, 221, 563
Balian G, 675
Ballock RT, 463
Baratta RV, 314
Bartel DL, 57, 700
Bavington C, 742
Bay BK, 593
Behrens FF, 570
Benton HP, 204
Benum P, 927
Beynnon BD, 707
Bingmann D, 558
Bodine-Fowler SC, 664
Boehm CA, 546
Boesch C, 141
Bogoch ER, 858
Boos N, 141
Booth D, 894
Botte MJ, 664
Bouillon R, 391
Boyan BD, 371
Bray RC, 830
Brennan FR, 40
Brochmann Murray EJ, 585
Broström L-Å, 727
Brunet JA, 719
Buchanan TS, 11
Buckwalter JA, 161, 323, 491
Buschmann MD, 189

Cao M, 18
Carter DR, 473
Casper RF, 118
Chao EYS, 773
Chen AC, 197, 499, 791
Chen L-E, 243, 512
Claes L, 577
Clark J, 76
Clausen JD, 342
Clohisy DR, 301
Colman WW, 468
Commisso CN, 682
Coutts RD, 197, 670, 803
Crabb ID, 162
Crawford RP, 101
Cuizon D, 519
Currey JD, 111, 862

Damron TA, 62
Das P, 87
Davey JP, 664
Dawson JM, 844
Day CS, 227, 894
Dean DD, 371
Dequeker J, 391
Deutsch TF, 748
Dodd CM, 213
Doschak MR, 830
Dounchis JS, 803
Dreier D, 141
Duarte MEL, 585
Duncan NA, 814
Dunne E, 742
Dvorak J, 881

Eckstein F, 808
Eggli P, 189
Eine J, 927
Einhorn TA, 757
Ellerbroek SM, 491
Englmeier K-H, 808
Erickson DM, 371
Evans CH, 442
Evans RP, 414

Faber S, 808
Fabry G, 391
Feeney W, 519
Finerman GAM, 657
Fitzsimmons JS, 682
Floyd SS Jr, 227, 894
Foreman J, 111
Fox RJ, 285
Frank CB, 161, 323, 652
Frassica FJ, 773
Fridén T, 637
Fu FH, 278, 285, 894
Fujioka H, 675
Fujita Y, 814
Fukuda H, 24, 33

Gage JR, 615
Galante JO, 629
Gao GG, 563
Georgescu HI, 18
Germiller JA, 362
Gershuni DH, 519
Gibbons DF, 1
Gibeling JC, 607
Gibson VA, 607
Glant TT, 40
Godolphin JL, 742
Goel VK, 342
Goldstein SA, 362
Gonzales JB, 50
Goodship AE, 862
Goomer RS, 803
Goss BC, 263
Gotoh M, 24, 33
Grelsamer RP, 468
Griffin LV, 607
Griffith D, 414
Grills BL, 235
Grisanti M, 585
Grob D, 881
Gross TS, 830
Growney ES, 348
Grynpas MD, 118
Gurskis D, 499
Gustilo RB, 688

Halili RB, 197
Hamada K, 24, 33
Hamlet WP, 657
Han JS, 69
Hanada K, 307
Hannafin JA, 427
Hant JJ, 197
Hargens A, 422
Hargens AR, 507
Haro H, 734
Harris MA, 371
Harris SE, 371
Harten RD Jr, 570
Harwood FL, 803
Haubner M, 808
Haugh LD, 707
Haut RC, 450
Haven M, 519
Hayashi K, 904
Hayden SW, 615
Healey RM, 670
Henry JH, 468
Heydemann A, 463
Hickey GJ, 519
Hickmon SG, 249, 414
Hicks DG, 162
Higuchi F, 888
Hilfiker E, 141
Hillstrom H, 331
Hirasawa Y, 150, 670
Hiyama Y, 307
Hoffman AR, 94
Hogue WR, 221
Hora D Jr, 519
Hora J, 141
Horibe S, 294, 837
Horowitz SM, 50
Hotokezaka S, 911
Howell SM, 263, 539
Huard J, 227, 894
Hubbard M, 593
Huie P, 94
Hukuda S, 133
Hulet CH, 629
Hull ML, 263, 539
Hung S-C, 381
Hunziker E, 189
Hurowitz E, 570
Hurwitz DE, 629
Hurwitz SR, 675
Husby OS, 927

Iatridis JC, 318
Imai S, 133
Imamura T, 820
Imanishi J, 150
Inoue A, 33, 128, 888
Ishidou Y, 820
Ishii H, 719
Itoh K, 128
Iwasaki K, 175
Izumi T, 463

Jacks TM, 519
Jacobs JJ, 40
Jiranek WA, 712
Jobanputra P, 742
Johnson KD, 844
Johnson ME, 348
Jukkala-Partio K, 124

Kahan NJ, 507
Kajiyama G, 919
Kaneda K, 904
Kasemkijwattana C, 894
Kasra M, 118
Kato M, 820
Kavalkovich KW, 18
Kawaguchi H, 307

Kawahara H, 381
Kdolsky RK, 1
Keaveny TM, 101, 781
Keir PJ, 422
Kenwright J, 765
Khatod M, 803
Kienbacher T, 348
Kikkawa M, 133
Kikuchi T, 528
Kish V, 69, 324
Kobayashi K, 150
Kolem H, 808
Koman LA, 408
Komiya S, 128
Komori H, 734
Koolpe M, 204
Kopperdahl DL, 101
Korompilias AV, 512
Kovach IS, 437
Kreis R, 141
Krome J, 408
Kronberg M, 727
Kubo T, 150, 670
Kubota H, 911
Kudo E, 477
Kuhn JL, 353
Kumagai M, 888
Kuramoto T, 128
Kurokawa T, 307, 381
Kurtz SM, 57
Kwak SD, 468
Kwasny O, 1

Laitinen O, 124
Laketić I, 111
Lammens J, 391
Lapointe SJ, 331
Larsson P, 727
Lauterbach S, 558
Lee DA, 181
Lee FY, 570
Lee S-H, 40
Lerner AL, 353
Levine RE, 18
Lew WD, 645
Lewandrowski K-U, 748
Lewis JL, 645
Li G, 278, 285, 765
Li Z, 408
Lieber RL, 519
Lindquist C, 645
Lindstrand A, 637
Liu SH, 657
Livesay GA, 278, 285
Lloyd DG, 11
Lopez MA, 519
Lottman LM, 791
Lotz JC, 814
Lou A, 101
Lou J, 911
Loveys LS, 162
Ludwig FJ, 911
Lumpkin CK Jr, 221, 563
Lundberg WR, 645
Lund-Larsen J, 927

MacLusky NJ, 118
Maeda T, 133
Majeska RJ, 757
Majors AK, 546
Maloney WJ, 94
Mankin HJ, 748
Mann KA, 62, 700
Mannion AF, 881
Manske PR, 911
Marcus R, 473
Martin JA, 491
Martin RB, 161, 323, 593, 607
Marui T, 18
Matsumoto N, 294
Matsunaga S, 820
Meglitsch T, 645
Menetrey J, 894
Meyer RS, 664
Midura RJ, 546
Miller F, 563
Miller LA, 442
Mills BG, 477
Mitchell J, 111
Miyakawa K, 904
Miyazawa K, 456
Mizuno K, 675
Mlodzienski A, 331
Mohler RL, 519
Mokassa L, 391
Möllers MO, 442
Moran EL, 858
Moreland MS, 227, 894
Moritz U, 637
Moriya H, 757
Mow VC, 318, 468
Muneta T, 734
Müntener M, 881
Murakami S, 734
Murray SS, 585
Murthy G, 507
Muschler GF, 546

Nagrampa JP, 791
Nakamura K, 307, 381
Nakamura N, 294, 837
Nakano T, 213
Nargund R, 519
Nasser S, 874
Natsu-ume T, 837
Nelissen RGHH, 869
Nelson CL, 249, 414
Nemoto O, 528
Newberry WN, 450
Nijs J, 391
Nishida K, 742
Nishimura H, 888
Nitto H, 546
Niyibizi C, 18
Nobilini RR, 331
Nötzli H, 76
Nuki G, 742

Ochi T, 294, 837
O'Driscoll SW, 682
Ohtsuru A, 175
Oizumi J, 477
Okano K, 175
Okano T, 820
Okawa A, 734
O'Keefe RJ, 162
Oliynyk A, 652
Omokawa S, 69
Origuchi N, 820
Osaki M, 175

Panossian V, 657
Parr TR Jr, 414
Partio EK, 124
Pegg DE, 111
Petersen S, 874
Pihlajamäki HK, 398
Pinilla TP, 101
Plenk H Jr, 1
Poff BC, 645
Pohjonen T, 124
Pollock DC, 408
Pope MH, 707
Puzas JE, 162
Pysklywec MW, 858

Qi W-N, 483
Quattlebaum T, 563

Ragasa DR, 40
Ramnaraine MLR, 301
Reddi AH, 463
Reilly GC, 111, 862
Reiser M, 808
Rempel DM, 422, 507
Renström PA, 707
Reynolds PR, 162
Rimnac CM, 57
Roberts D, 637
Rock MG, 773
Rodeo SA, 427
Rokkanen P, 124
Rokkanen PU, 398
Rosenberg AG, 629
Rosencrance E, 408
Rosier RN, 162
Rosler DM, 314
Rozing PM, 869
Rude R, 477
Rudy TW, 278
Runco TJ, 278
Ryu J, 69, 324

Sah RL, 197, 499, 791
Sakane M, 278, 285
Sakou T, 820
Salo PT, 622
Salter DM, 742
Sandell LJ, 161, 323
Sano H, 719
Schabus R, 1
Schade V, 141
Schinagl RM, 499, 791
Schirrmacher K, 558
Schleim K, 519
Schomacker KT, 748
Schuijers JA, 235
Schulte E, 808
Schurman DJ, 87, 94, 919
Schutte LM, 615
Schwartz Z, 371
Sciadini MF, 844
Scifert J, 342
Scott PG, 213
Scully SP, 483
Seaber AV, 243, 512
Setton LA, 318
Shen XC, 221, 563
Shiba N, 888
Shih L-Y, 773
Shimizu C, 670
Shino K, 294, 837
Shinomiya K, 734
Shiota M, 528
Shiro R, 381
Shrive NG, 652
Sibley R, 94
Siegler S, 331
Simpson HRW, 765
Skinner RA, 221, 249, 414, 563
Smeltzer MS, 414
Smith GA, 314
Smith JJ, 645
Smith RL, 87, 94, 919
Smith TL, 408
Smith TS, 593
Smutz WP, 422
Song Z, 874
Spoor CW, 869
Stefanovic-Racic M, 442
Stover SM, 607
Sudo T, 128
Suger G, 577
Sung K-LP, 269

Takahashi K, 150
Takaishi H, 528
Takigawa M, 150
Tamura M, 307
Tanaka K, 381, 904
Tang JB, 69, 324
Taylor D, 601
Techner L, 331
ten Dijke P, 820
Theriault E, 622
Thomas JR, 414
Thorton GM, 652
Tieschky M, 808
Tohyama H, 707
Tokunaga Y, 133
Tom J, 427
Tomford WW, 748
Tomonaga A, 24, 33
Törmälä P, 124
Törmälä PO, 398
Toritsuka Y, 294, 837
Traynelis VC, 342
Triffitt JT, 765
Trippel SB, 161, 323
Tsuchida T, 904
Tsuchiya K, 94
Tsukayama DT, 688
Tsukazaki T, 175

Uhthoff HK, 719
Urban RM, 40

Urbaniak JR, 243, 512
Urist MR, 456, 585

Vainionpää S, 124
Valstar ER, 869
van der Meulen MCH, 473
Vanin CM, 118
Vasenius J, 124
Viljanen JT, 398
Virolainen P, 773
Vrahas MS, 314
Vu T, 94

Wachtel EF, 781
Wallace MP, 539
Walmsley S, 742
Wang G-J, 675
Wang JY, 688
Ward AR, 235
Warren RF, 427
Wayne JS, 712
Wearden S, 69, 324
Weber R, 881
Weidenbaum M, 318
Wickiewicz TL, 427
Wicklund BH, 688
Wiley RG, 622
Wilke H-J, 577
Witkowski J, 269
Wong M, 189
Woo SL-Y, 18, 278, 285
Wood DJ, 269
Wooley PH, 874
Wozney JM, 371
Wright MO, 742
Wright TM, 161, 323
Wuethrich P, 189

Yabe Y, 528
Yamada H, 528
Yamagishi M, 528
Yamakawa H, 24, 33
Yamamoto N, 904
Yamashita S, 175
Yamazaki M, 757
Yang AS, 197
Yang L, 269
Yasuda K, 904
Yeadon A, 719
Yin C, 712
Yonekura A, 175
Yonemori K, 820
Yoshida H, 820
Yoshioka H, 757
Yoshioka M, 197
Young DR, 773
Yu B, 348

Zätterström R, 637
Zernicke RF, 830
Zimmerman MC, 570
Zuelzer WA, 712
Zukosky DK, 450

Journal of Orthopaedic Research
15:935-940 The Journal of Bone and Joint Surgery, Inc.
© 1997 Orthopaedic Research Society

Journal of Orthopaedic Research

Volume 15, 1997

SUBJECT INDEX

Achilles tendon

Changes in the expression of type-X collagen in the fibrocartilage of rat Achilles tendon attachment during development, 675

Adenovirus

In vivo gene transfer and overexpression of focal adhesion kinase (pp125 FAK) mediated by recombinant adenovirus-induced tendon adhesion formation and epitenon cell change, 911

Allograft

Effect of freeze-drying or γ-irradiation on remodeling of tendon allograft in a rat model, 294

Improved osteoinduction of cortical bone allografts: a study of the effects of laser perforation and partial demineralization, 748

Aminosteroid

Studies of ischemia-reperfusion injury in skeletal muscle: efficacy of 21-aminosteroids on microcirculation and muscle contraction after an extended period of warm ischemia, 512

Androgen

Primary immunolocalization of androgen target cells in the human anterior cruciate ligament, 657

Animal model

Effect of low dietary calcium on bone metabolism in the SENCAR mouse, 585

Orthotopic ossification of the spinal ligaments of Zucker fatty rats: a possible animal model for ossification of the human posterior longitudinal ligament, 820

Ankle

Changes in the flexibility characteristics of the ankle complex due to damage to the lateral collateral ligaments: an *in vitro* and *in vivo* study, 331

Laxity and flexibility of the ankle following reconstruction with the Chrisman-Snook procedure, 707

Annulus fibrosus

Radial tensile properties of the lumbar annulus fibrosus are site and degeneration dependent, 814

Anterior cruciate ligament

Biochemical and molecular homogeneity in the patellar tendon of the immature pig, 712

Braided polypropylene augmentation device in reconstructive surgery of the anterior cruciate ligament: long-term clinical performance of 594 patients and short-term arthroscopic results, failure analysis by scanning electron microscopy, and synovial histomorphology, 1

Contact pressure and tension in anterior cruciate ligament grafts subjected to roof impingement during passive extension, 263

Evaluation of the effect of joint constraints on the *in situ* force distribution in the anterior cruciate ligament, 278

In situ forces in the anterior cruciate ligament and its bundles in response to anterior tibial loads, 285

In vivo forces during remodeling of a two-segment anterior cruciate ligament graft in a goat model, 645

In vivo tensile behavior of a four-bundle hamstring graft as a replacement for the anterior cruciate ligament, 539

Migration and healing of ligament cells under inflammatory conditions, 269

Physical properties of rabbit articular cartilage after transection of the anterior cruciate ligament, 197

Physiological and mechanical adaptations of rabbit medial collateral ligament after anterior cruciate ligament transection, 830

Primary immunolocalization of androgen target cells in the human anterior cruciate ligament, 657

Arthritis

Selective ablation of rat knee joint innervation with injected immunotoxin: a potential new model for the study of neuropathic arthritis, 622

Staphylococcal septic arthritis: antibiotic and nonsteroidal anti-inflammatory drug treatment in a rabbit model, 919

Zoledronate (CGP 42'446), a bisphosphonate, protects against metaphyseal intracortical defects in experimental inflammatory arthritis, 858

Atrophy

Growth hormone secretagogue increases muscle strength during remobilization after canine hindlimb immobilization, 519

Beads

Treatment of experimental osteomyelitis by surgical debridement and the implantation of bioerodable, polyanhydride-gentamicin beads, 249

Bone

Assessment of cell proliferation in regenerating bone during distraction osteogenesis at different distraction rates, 765

Biochemical and density assessment of the new bone in late remodeling after callus distraction, 391

Bone maintenance and remodeling: a control system based on fatigue damage, 601

Characterization of regional and age-related variations in the growth of the rabbit distal femur, 353

Effect of low dietary calcium on bone metabolism in the SENCAR mouse, 585

Effects of different estrogen and progestin regimens on the mechanical properties of rat femur, 118

Effects of ionizing radiation on the mechanical properties of human bone, 111

Evaluation of bovine-derived bone protein with a natural coral carrier as a bone-graft substitute in a canine segmental defect model, 844

Exercise of young thoroughbred horses increases impact strength of the third metacarpal bone, 862

Model of flexural fatigue damage accumulation for cortical bone, 607

Rat model of distraction osteogenesis, 221

Regional and temporal changes in the acoustic properties of fracture callus in secondary bone healing, 570

Stimulation of bone formation by intraosseous application of recombinant basic fibroblast growth factor in normal and ovariectomized rabbits, 307

Subfracture insult to a knee joint causes alterations in the bone and in the functional stiffness of overlying cartilage, 450

Surface remodeling of trabecular bone using a tissue level model, 593

Systematic and random errors in compression testing of trabecular bone, 101

Bone morphogenetic protein

Recombinant bone morphogenetic protein (BMP)-2 regulates costochondral growth plate chondrocytes and induces expression of BMP-2 and BMP-4 in a cell maturation-dependent manner, 371

Treatment with recombinant human macrophage colony-stimulating factor resorbs blood clot and restores osteoclastogenesis in heterotopic bone induced by partially purified native bone morphogenetic protein in osteopetrotic (op/op) mice, 456

Calcitonin gene-related peptide

Calcitonin gene-related peptide and reperfusion injury, 243

Calcitonin gene-related peptide, substance P, and tyrosine hydroxylase-immunoreactive innervation of rat bone marrows: an immunohistochemical and ultrastructural investigation on possible efferent and afferent mechanisms, 133

Capsulitis

Immunolocalization of cytokines and their receptors in adhesive capsulitis of the shoulder, 427

Carpal tunnel

Effects of static fingertip loading on carpal tunnel pressure, 422

Cartilage

Chondrocyte biosynthesis correlates with local tissue strain in statically compressed adult articular cartilage, 189

Chondrocyte transplantation to articular cartilage explants *in vitro*, 791

Compressive strains at physiological frequencies influence the metabolism of chondrocytes seeded in agarose, 181

Deformation of loaded articular cartilage prepared for scanning electron microscopy with rapid freezing and freeze-substitution fixation, 76

Depth-dependent confined compression modulus of full-thickness bovine articular cartilage, 499

Effects of continuous distraction on cartilage in a moving joint: an investigation on adult rabbits, 381

Method of histomorphometric assessment of glycosaminoglycans in articular cartilage, 670

Nitric oxide and proteoglycan turnover in rabbit articular cartilage, 442

Osteoarthritis: differential expression of matrix metalloproteinase-9 mRNA in nonfibrillated and fibrillated cartilage, 94

Physical properties of rabbit articular cartilage after transection of the anterior cruciate ligament, 197

Repeatability of patellar cartilage thickness patterns in the living, using a fat-suppressed magnetic resonance imaging sequence with short acquisition time and three-dimensional data processing, 808

Short communication. Method to impact *in vivo* rabbit femoral cartilage with blows of quantifiable stress, 314

Small-angle HeNe laser light scatter and the compressive modulus of articular cartilage, 437

Subfracture insult to a knee joint causes alterations

in the bone and in the functional stiffness of overlying cartilage, 450

Cathepsin D

Significance of granulation tissue in torn supraspinatus insertions: an immunohistochemical study with antibodies against interleukin-1β, cathepsin D, and matrix metalloprotease-1, 33

Cerebral palsy

Lengths of hamstrings and psoas muscles during crouch gait: effects of femoral anteversion, 615

Chemotherapy

Effect of cisplatin chemotherapy on extracortical tissue formation in canine diaphyseal segmental replacement, 773

Chondrocyte

Age-related decline in chondrocyte response to insulin-like growth factor-I: the role of growth factor binding proteins, 491

Calcium-mobilizing purine receptors on the surface of mammalian articular chondrocytes, 204

Chondrocyte biosynthesis correlates with local tissue strain in statically compressed adult articular cartilage, 189

Chondrocyte transplantation to articular cartilage explants *in vitro*, 791

Compressive strains at physiological frequencies influence the metabolism of chondrocytes seeded in agarose, 181

Differential regulation of type-II and type-X collagen synthesis by parathyroid hormone-related protein in chick growth-plate chondrocytes, 162

Expression of parathyroid hormone-related peptide in human osteoarthritis, 175

Extracellular collagen modulates the regulation of chondrocytes by transforming growth factor-β1, 483

Hyperpolarisation of cultured human chondrocytes following cyclical pressure-induced strain: evidence of a role for α5β1 integrin as a chondrocyte mechanoreceptor, 742

Nitric oxide and G proteins mediate the response of bovine articular chondrocytes to fluid-induced shear, 87

Osteoarthritis: differential expression of matrix metalloproteinase-9 mRNA in nonfibrillated and fibrillated cartilage, 94

Recombinant bone morphogenetic protein (BMP)-2 regulates costochondral growth plate chondrocytes and induces expression of BMP-2 and BMP-4 in a cell maturation-dependent manner, 371

Structure and function of embryonic growth plate in the absence of functioning skeletal muscle, 362

Chondrocyte-like cell

Hydrostatic pressure influences mRNA expression of transforming growth factor-β1 and heat shock protein 70 in chondrocyte-like cell line, 150

Chondrogenesis

Role of oxygen tension during cartilage formation by periosteum, 682

Chrisman-Snook procedure

Laxity and flexibility of the ankle following reconstruction with the Chrisman-Snook procedure, 707

Cisplatin

Effect of cisplatin chemotherapy on extracortical tissue formation in canine diaphyseal segmental replacement, 773

Cobalt-chromium alloy

Human monocyte/macrophage response to cobalt-chromium corrosion products and titanium particles in patients with total joint replacements, 40

Collagen

Changes in the expression of type-X collagen in the fibrocartilage of rat Achilles tendon attachment during development, 675

Chondrogenic phenotype of perichondrium-derived chondroprogenitor cells is influenced by transforming growth factor-beta 1, 803

Deformation of loaded articular cartilage prepared for scanning electron microscopy with rapid freezing and freeze-substitution fixation, 76

Differential regulation of type-II and type-X collagen synthesis by parathyroid hormone-related protein in chick growth-plate chondrocytes, 162

Extracellular collagen modulates the regulation of chondrocytes by transforming growth factor-β1, 483

Regulation of the expression of the type-II collagen gene in periosteum-derived cells by three members of the transforming growth factor-β superfamily, 463

Spatial and temporal expression of fibril-forming minor collagen genes (types V and XI) during fracture healing, 757

Staphylococcal septic arthritis: antibiotic and nonsteroidal anti-inflammatory drug treatment in a rabbit model, 919

Type-II collagen gene expression is transiently upregulated in experimentally induced degeneration of rabbit intervertebral disc, 528

Compression testing

Depth-dependent confined compression modulus of full-thickness bovine articular cartilage, 499

Systematic and random errors in compression testing of trabecular bone, 101

Contraction

Forearm muscle oxygenation decreases with low levels of voluntary contraction, 507

Creep

Ligament creep cannot be predicted from stress relaxation at low stress: a biomechanical study of the rabbit medial collateral ligament, 652

Crouch gait

Lengths of hamstrings and psoas muscles during crouch gait: effects of femoral anteversion, 615

Curvature analysis

Short communication. Anatomy of the human patellofemoral joint articular cartilage: surface curvature analysis, 468

Cytokine

Immunolocalization of cytokines and their receptors in adhesive capsulitis of the shoulder, 427

Prosthetic metals impair murine immune response and cytokine release *in vivo* and *in vitro*, 688

Deltoid

Characterisation of human deltoid muscle in patients with impingement syndrome, 727

Demineralization

Improved osteoinduction of cortical bone allografts: a study of the effects of laser perforation and partial demineralization, 748

Distraction

Assessment of cell proliferation in regenerating bone during distraction osteogenesis at different distraction rates, 765

Biochemical and density assessment of the new bone in late remodeling after callus distraction, 391

Effects of continuous distraction on cartilage in a moving joint: an investigation on adult rabbits, 381

Rat model of distraction osteogenesis, 221

Sustained proliferation accompanies distraction osteogenesis in the rat, 563

Dual energy x-ray absorptiometry

Short communication. Correspondence between theoretical models and dual energy x-ray absorptiometry measurements of femoral cross-sectional growth during adolescence, 473

Editorial

Abbreviations, acronyms, and jargon in the *Journal*, 323

Scientific credibility requires complete presentation of methods, 161

Epineurial repair

Functional recovery following neurorrhaphy of the rat sciatic nerve by epineurial repair compared with tubulization, 664

Estrogen

Effects of different estrogen and progestin regimens on the mechanical properties of rat femur, 118

Exercise

Exercise of young thoroughbred horses increases impact strength of the third metacarpal bone, 862

Fatigue damage

Bone maintenance and remodeling: a control system based on fatigue damage, 601

Model of flexural fatigue damage accumulation for cortical bone, 607

Femur

Characterization of regional and age-related variations in the growth of the rabbit distal femur, 353

Comparison of the tissue response to absorbable self-reinforced polylactide screws and metallic screws in the fixation of cancellous bone osteotomies: an experimental study on the rabbit distal femur, 398

Effects of different estrogen and progestin regimens on the mechanical properties of rat femur, 118

Effects of stem length on mechanics of the femoral hip component after cemented revision, 62

Influence of stem geometry on mechanics of cemented femoral hip components with a proximal bond, 700

Short communication. Correspondence between theoretical models and dual energy x-ray absorptiometry measurements of femoral cross-sectional growth during adolescence, 473

Short communication. *In vivo* measurements show tensile axial strain in the proximal lateral aspect of the human femur, 927

Fiber

Fibre type characteristics of the lumbar paraspinal muscles in normal healthy subjects and in patients with low back pain, 881

Fibroblast

Effect of growth factors on matrix synthesis by ligament fibroblasts, 18

Stimulation of bone formation by intraosseous application of recombinant basic fibroblast growth factor in normal and ovariectomized rabbits, 307

Fingertip

Effects of static fingertip loading on carpal tunnel pressure, 422

Finite element model

Uncinate processes and Luschka joints influence the biomechanics of the cervical spine: quantification using a finite element model of the C5-C6 segment, 342

Focal adhesion kinase

In vivo gene transfer and overexpression of focal adhesion kinase (pp125 FAK) mediated by recombinant adenovirus-induced tendon adhesion formation and epitenon cell change, 911

Fracture

Biomechanical changes of the wrist flexor and ex-

tensor tendons following loss of scaphoid integrity, 69
Influence of size and stability of the osteotomy gap on the success of fracture healing, 577
Regional and temporal changes in the acoustic properties of fracture callus in secondary bone healing, 570
Spatial and temporal expression of fibril-forming minor collagen genes (types V and XI) during fracture healing, 757
Sustained proliferation accompanies distraction osteogenesis in the rat, 563
Topical application of nerve growth factor improves fracture healing in rats, 235

Freezing

Deformation of loaded articular cartilage prepared for scanning electron microscopy with rapid freezing and freeze-substitution fixation, 76
Effect of freeze-drying or γ-irradiation on remodeling of tendon allograft in a rat model, 294
Effects of *in situ* freezing and stress-shielding on the ultrastructure of rabbit patellar tendons, 904

G protein

Nitric oxide and G proteins mediate the response of bovine articular chondrocytes to fluid-induced shear, 87

Gait

Gait compensations in patients with osteoarthritis of the hip and their relationship to pain and passive hip motion, 629

Gamma irradiation

Effect of freeze-drying or γ-irradiation on remodeling of tendon allograft in a rat model, 294

Gene-delivery vehicle

Myoblast-mediated gene transfer to the joint, 894

Glycosaminoglycan

Glycosaminoglycans and proteoglycans from different zones of the porcine knee meniscus, 213
Method of histomorphometric assessment of glycosaminoglycans in articular cartilage, 670
Staphylococcal septic arthritis: antibiotic and nonsteroidal anti-inflammatory drug treatment in a rabbit model, 919

Graft

Contact pressure and tension in anterior cruciate ligament grafts subjected to roof impingement during passive extension, 263
Effects of ionizing radiation on the mechanical properties of human bone, 111
Evaluation of bovine-derived bone protein with a natural coral carrier as a bone-graft substitute in a canine segmental defect model, 844
In situ forces in the anterior cruciate ligament and its bundles in response to anterior tibial loads, 285
In vivo forces during remodeling of a two-segment anterior cruciate ligament graft in a goat model, 645
In vivo tensile behavior of a four-bundle hamstring graft as a replacement for the anterior cruciate ligament, 539

Granulation tissue

Significance of granulation tissue in torn supraspinatus insertions: an immunohistochemical study with antibodies against interleukin-1β, cathepsin D, and matrix metalloprotease-1, 33

Growth

Characterization of regional and age-related variations in the growth of the rabbit distal femur, 353
Structure and function of embryonic growth plate in the absence of functioning skeletal muscle, 362

Growth factor

Age-related decline in chondrocyte response to insulin-like growth factor-I: the role of growth factor binding proteins, 491
Effect of growth factors on matrix synthesis by ligament fibroblasts, 18
Stimulation of bone formation by intraosseous application of recombinant basic fibroblast growth factor in normal and ovariectomized rabbits, 307
Topical application of nerve growth factor improves fracture healing in rats, 235

Growth plate

Differential regulation of type-II and type-X collagen synthesis by parathyroid hormone-related protein in chick growth-plate chondrocytes, 162
Recombinant bone morphogenetic protein (BMP)-2 regulates costochondral growth plate chondrocytes and induces expression of BMP-2 and BMP-4 in a cell maturation-dependent manner, 371
Structure and function of embryonic growth plate in the absence of functioning skeletal muscle, 362

Healing

Influence of size and stability of the osteotomy gap on the success of fracture healing, 577
Regional and temporal changes in the acoustic properties of fracture callus in secondary bone healing, 570
Sustained proliferation accompanies distraction osteogenesis in the rat, 563
Temporal and spatial expression of transforming growth factor-β in the healing patellar ligament of the rat, 837

Heat shock protein

Hydrostatic pressure influences mRNA expression of transforming growth factor-β1 and heat shock protein 70 in chondrocyte-like cell line, 150

Hip

Effects of stem length on mechanics of the femoral hip component after cemented revision, 62
Functional evaluation of hip abductor muscles with use of magnetic resonance imaging, 888
Gait compensations in patients with osteoarthritis of the hip and their relationship to pain and passive hip motion, 629
Human monocyte/macrophage response to cobalt-chromium corrosion products and titanium particles in patients with total joint replacements, 40
Influence of stem geometry on mechanics of cemented femoral hip components with a proximal bond, 700

Hydrostatic pressure

Hydrostatic pressure influences mRNA expression of transforming growth factor-β1 and heat shock protein 70 in chondrocyte-like cell line, 150

Image analysis

Method of histomorphometric assessment of glycosaminoglycans in articular cartilage, 670
Repeatability of patellar cartilage thickness patterns in the living, using a fat-suppressed magnetic resonance imaging sequence with short acquisition time and three-dimensional data processing, 808

Immune response

Prosthetic metals impair murine immune response and cytokine release *in vivo* and *in vitro*, 688

Impingement syndrome

Characterisation of human deltoid muscle in patients with impingement syndrome, 727

Implant

Cellular immune responses to orthopaedic implant materials following cemented total joint replacement, 874
Effects of polyethylene on macrophages, 50
Evaluation of bovine-derived bone protein with a natural coral carrier as a bone-graft substitute in a canine segmental defect model, 844
Human monocyte/macrophage response to cobalt-chromium corrosion products and titanium particles in patients with total joint replacements, 40
Influence of stem geometry on mechanics of cemented femoral hip components with a proximal bond, 700

Insulin-like growth factor

Age-related decline in chondrocyte response to insulin-like growth factor-I: the role of growth factor binding proteins, 491
Growth hormone secretagogue increases muscle strength during remobilization after canine hindlimb immobilization, 519
Similar effects of recombinant human insulin-like growth factor-I and II on cellular activities in flexor tendons of young rabbits: experimental studies *in vitro*, 256

Integrin

Hyperpolarisation of cultured human chondrocytes following cyclical pressure-induced strain: evidence of a role for α5β1 integrin as a chondrocyte mechanoreceptor, 742

Interleukin-1β

Significance of granulation tissue in torn supraspinatus insertions: an immunohistochemical study with antibodies against interleukin-1β, cathepsin D, and matrix metalloprotease-1, 33

Intervertebral disc

Radial tensile properties of the lumbar annulus fibrosus are site and degeneration dependent, 814
Type-II collagen gene expression is transiently upregulated in experimentally induced degeneration of rabbit intervertebral disc, 528

Ionizing radiation

Effects of ionizing radiation on the mechanical properties of human bone, 111

Ischemia

Studies of ischemia-reperfusion injury in skeletal muscle: efficacy of 21-aminosteroids on microcirculation and muscle contraction after an extended period of warm ischemia, 512

Isometric muscle activation

Muscle activation at the human knee during isometric flexion-extension and varus-valgus loads, 11

Joint

Myoblast-mediated gene transfer to the joint, 894

Kinetics

Reproducibility of the kinematics and kinetics of the lower extremity during normal stair-climbing, 348

Kinematics

Reproducibility of the kinematics and kinetics of the lower extremity during normal stair-climbing, 348

Knee

Evaluation of the effect of joint constraints on the *in situ* force distribution in the anterior cruciate ligament, 278
Glycosaminoglycans and proteoglycans from different zones of the porcine knee meniscus, 213
Muscle activation at the human knee during isometric flexion-extension and varus-valgus loads, 11
Proprioception after an acute knee ligament injury: a longitudinal study on 16 consecutive patients, 637
Repeatability of patellar cartilage thickness patterns in the living, using a fat-suppressed magnetic resonance imaging sequence with short acquisition time and three-dimensional data processing, 808
Selective ablation of rat knee joint innervation with injected immunotoxin: a potential new model for the study of neuropathic arthritis, 622

Subfracture insult to a knee joint causes alterations in the bone and in the functional stiffness of overlying cartilage, 450

Laser

Improved osteoinduction of cortical bone allografts: a study of the effects of laser perforation and partial demineralization, 748
Small-angle HeNe laser light scatter and the compressive modulus of articular cartilage, 437

Ligament

Changes in the flexibility characteristics of the ankle complex due to damage to the lateral collateral ligaments: an *in vitro* and *in vivo* study, 331
Effect of growth factors on matrix synthesis by ligament fibroblasts, 18
Ligament creep cannot be predicted from stress relaxation at low stress: a biomechanical study of the rabbit medial collateral ligament, 652
Migration and healing of ligament cells under inflammatory conditions, 269
Orthotopic ossification of the spinal ligaments of Zucker fatty rats: a possible animal model for ossification of the human posterior longitudinal ligament, 820
Physiological and mechanical adaptations of rabbit medial collateral ligament after anterior cruciate ligament transection, 830
Proprioception after an acute knee ligament injury: a longitudinal study on 16 consecutive patients, 637
Temporal and spatial expression of transforming growth factor-β in the healing patellar ligament of the rat, 837

Light scattering

Small-angle HeNe laser light scatter and the compressive modulus of articular cartilage, 437

Limb lengthening

Limb lengthening promotes muscle growth, 227

Low back pain

Fibre type characteristics of the lumbar paraspinal muscles in normal healthy subjects and in patients with low back pain, 881

Luschka joint

Uncinate processes and Luschka joints influence the biomechanics of the cervical spine: quantification using a finite element model of the C5-C6 segment, 342

Macrophage

Effects of polyethylene on macrophages, 50
Human monocyte/macrophage response to cobalt-chromium corrosion products and titanium particles in patients with total joint replacements, 40
Treatment with recombinant human macrophage colony-stimulating factor resorbs blood clot and restores osteoclastogenesis in heterotopic bone induced by partially purified native bone morphogenetic protein in osteopetrotic (op/op) mice, 456

MAGE gene

Expression of MAGE genes in osteosarcoma, 128

Magnetic resonance imaging

Functional evaluation of hip abductor muscles with use of magnetic resonance imaging, 888
Repeatability of patellar cartilage thickness patterns in the living, using a fat-suppressed magnetic resonance imaging sequence with short acquisition time and three-dimensional data processing, 808
Tissue characterization of symptomatic and asymptomatic disc herniations by quantitative magnetic resonance imaging, 141

Marrow

Characterization of human bone marrow stromal cells with respect to osteoblastic differentiation, 546

Matrix metalloprotease

Braided polypropylene augmentation device in reconstructive surgery of the anterior cruciate ligament: long-term clinical performance of 594 patients and short-term arthroscopic results, failure analysis by scanning electron microscopy, and synovial histomorphology, 1
Significance of granulation tissue in torn supraspinatus insertions: an immunohistochemical study with antibodies against interleukin-1β, cathepsin D, and matrix metalloprotease-1, 33

Matrix metalloproteinase

Osteoarthritis: differential expression of matrix metalloproteinase-9 mRNA in nonfibrillated and fibrillated cartilage, 94

Matrix synthesis

Effect of growth factors on matrix synthesis by ligament fibroblasts, 18

Meniscus

Glycosaminoglycans and proteoglycans from different zones of the porcine knee meniscus, 213

Metal

Cellular immune responses to orthopaedic implant materials following cemented total joint replacement, 874
Prosthetic metals impair murine immune response and cytokine release *in vivo* and *in vitro*, 688

Microcracking

Exercise of young thoroughbred horses increases impact strength of the third metacarpal bone, 862

Monocyte

Human monocyte/macrophage response to cobalt-chromium corrosion products and titanium particles in patients with total joint replacements, 40

Monocyte chemotactic protein-1

Sequential dynamics of monocyte chemotactic protein-1 expression in herniated nucleus pulposus resorption, 734

mRNA

Hydrostatic pressure influences mRNA expression of transforming growth factor-β1 and heat shock protein 70 in chondrocyte-like cell line, 150
Intrinsic healing capacity and tearing process of torn supraspinatus tendons: *in situ* hybridization study of α1(I) procollagen mRNA, 24
Osteoarthritis: differential expression of matrix metalloproteinase-9 mRNA in nonfibrillated and fibrillated cartilage, 94
Recombinant bone morphogenetic protein (BMP)-2 regulates costochondral growth plate chondrocytes and induces expression of BMP-2 and BMP-4 in a cell maturation-dependent manner, 371
Spatial and temporal expression of fibril-forming minor collagen genes (types V and XI) during fracture healing, 757
Type-II collagen gene expression is transiently upregulated in experimentally induced degeneration of rabbit intervertebral disc, 528

Muscle

Calcitonin gene-related peptide and reperfusion injury, 243
Fibre type characteristics of the lumbar paraspinal muscles in normal healthy subjects and in patients with low back pain, 881
Forearm muscle oxygenation decreases with low levels of voluntary contraction, 507
Functional evaluation of hip abductor muscles with use of magnetic resonance imaging, 888
Growth hormone secretagogue increases muscle strength during remobilization after canine hindlimb immobilization, 519
Lengths of hamstrings and psoas muscles during crouch gait: effects of femoral anteversion, 615
Limb lengthening promotes muscle growth, 227
Muscle activation at the human knee during isometric flexion-extension and varus-valgus loads, 11
Structure and function of embryonic growth plate in the absence of functioning skeletal muscle, 362
Studies of ischemia-reperfusion injury in skeletal muscle: efficacy of 21-aminosteroids on microcirculation and muscle contraction after an extended period of warm ischemia, 512

Myoblast

Myoblast-mediated gene transfer to the joint, 894

Near infrared spectroscopy

Forearm muscle oxygenation decreases with low levels of voluntary contraction, 507

Neurorrhaphy

Functional recovery following neurorrhaphy of the rat sciatic nerve by epineurial repair compared with tubulization, 664

Nitric oxide

Nitric oxide and G proteins mediate the response of bovine articular chondrocytes to fluid-induced shear, 87
Nitric oxide and proteoglycan turnover in rabbit articular cartilage, 442

Nonsteroidal inflammatory drug

Staphylococcal septic arthritis: antibiotic and nonsteroidal anti-inflammatory drug treatment in a rabbit model, 919

Nucleus pulposus

Sequential dynamics of monocyte chemotactic protein-1 expression in herniated nucleus pulposus resorption, 734
Short communication. Alterations in the mechanical behavior of the human lumbar nucleus pulposus with degeneration and aging, 318

Osseous cells

Oxygen consumption of calvarial bone cells *in vitro*, 558

Ossification

Orthotopic ossification of the spinal ligaments of Zucker fatty rats: a possible animal model for ossification of the human posterior longitudinal ligament, 820

Osteoarthritis

Cellular immune responses to orthopaedic implant materials following cemented total joint replacement, 874
Expression of parathyroid hormone-related peptide in human osteoarthritis, 175
Gait compensations in patients with osteoarthritis of the hip and their relationship to pain and passive hip motion, 629
Osteoarthritis: differential expression of matrix metalloproteinase-9 mRNA in nonfibrillated and fibrillated cartilage, 94

Osteoblast

Characterization of human bone marrow stromal cells with respect to osteoblastic differentiation, 546

Osteoclast

Osteoclast formation during tumor osteolysis does not require proliferating osteoclast precursor cells, 301

Osteolysis

Osteoclast formation during tumor osteolysis does

not require proliferating osteoclast precursor cells, 301

Osteomyelitis

Characterization of a rabbit model of staphylococcal osteomyelitis, 414
Treatment of experimental osteomyelitis by surgical debridement and the implantation of bioerodable, polyanhydride-gentamicin beads, 249

Osteopetrosis

Treatment with recombinant human macrophage colony-stimulating factor resorbs blood clot and restores osteoclastogenesis in heterotopic bone induced by partially purified native bone morphogenetic protein in osteopetrotic (op/op) mice, 456

Osteosarcoma

Expression of MAGE genes in osteosarcoma, 128

Osteotomy

Comparison of the fixation of subcapital femoral neck osteotomies with absorbable self-reinforced poly-L-lactide lag-screws or metallic screws in sheep, 124
Comparison of the tissue response to absorbable self-reinforced polylactide screws and metallic screws in the fixation of cancellous bone osteotomies: an experimental study on the rabbit distal femur, 398
Influence of size and stability of the osteotomy gap on the success of fracture healing, 577

Oxygen

Oxygen consumption of calvarial bone cells *in vitro*, 558
Role of oxygen tension during cartilage formation by periosteum, 682

Paget's disease of bone

Letters to the editors, 788
Short communication. Robertsonian translocations in Paget's disease of bone, 477

Parathyroid hormone-related protein

Differential regulation of type-II and type-X collagen synthesis by parathyroid hormone-related protein in chick growth-plate chondrocytes, 162
Expression of parathyroid hormone-related peptide in human osteoarthritis, 175

Patellofemoral joint

Short communication. Anatomy of the human patellofemoral joint articular cartilage: surface curvature analysis, 468

Polyethylene

Degradation rate of ultra-high molecular weight polyethylene, 57
Effects of polyethylene on macrophages, 50

Polypropylene augmentation device

Braided polypropylene augmentation device in reconstructive surgery of the anterior cruciate ligament: long-term clinical performance of 594 patients and short-term arthroscopic results, failure analysis by scanning electron microscopy, and synovial histomorphology, 1

Progestin

Effects of different estrogen and progestin regimens on the mechanical properties of rat femur, 118

Proprioception

Proprioception after an acute knee ligament injury: a longitudinal study on 16 consecutive patients, 637

Prosthesis

Cellular immune responses to orthopaedic implant materials following cemented total joint replacement, 874
Effect of cisplatin chemotherapy on extracortical tissue formation in canine diaphyseal segmental replacement, 773
Prosthetic metals impair murine immune response and cytokine release *in vivo* and *in vitro*, 688

Protein kinase C

Effect of low dietary calcium on bone metabolism in the SENCAR mouse, 585

Proteoglycan

Chondrocyte transplantation to articular cartilage explants *in vitro*, 791
Glycosaminoglycans and proteoglycans from different zones of the porcine knee meniscus, 213
Nitric oxide and proteoglycan turnover in rabbit articular cartilage, 442

Radius

Effect of radial shortening on muscle and moment arms of the wrist flexors and extensors, 324

Remodeling

Biochemical and density assessment of the new bone in late remodeling after callus distraction, 391
In vivo forces during remodeling of a two-segment anterior cruciate ligament graft in a goat model, 645
Surface remodeling of trabecular bone using a tissue level model, 593

Reperfusion

Calcitonin gene-related peptide and reperfusion injury, 243
Studies of ischemia-reperfusion injury in skeletal muscle: efficacy of 21-aminosteroids on microcirculation and muscle contraction after an extended period of warm ischemia, 512

Revision hip arthroplasty

Effects of stem length on mechanics of the femoral hip component after cemented revision, 62

Robertsonian translocation

Letters to the editors, 788
Short communication. Robertsonian translocations in Paget's disease of bone, 477

Roentgen stereophotogrammetric analysis

Roentgen stereophotogrammetric analysis of metal-backed hemispherical cups without attached markers, 869

Rotator cuff tear

Degeneration at the insertion weakens the tensile strength of the supraspinatus tendon: a comparative mechanical and histologic study of the bone-tendon complex, 719
Intrinsic healing capacity and tearing process of torn supraspinatus tendons: *in situ* hybridization study of α1(I) procollagen mRNA, 24
Significance of granulation tissue in torn supraspinatus insertions: an immunohistochemical study with antibodies against interleukin-1β, cathepsin D, and matrix metalloprotease-1, 33

Scanning acoustic microscopy

Regional and temporal changes in the acoustic properties of fracture callus in secondary bone healing, 570

Scanning electron microscopy

Braided polypropylene augmentation device in reconstructive surgery of the anterior cruciate ligament: long-term clinical performance of 594 patients and short-term arthroscopic results, failure analysis by scanning electron microscopy, and synovial histomorphology, 1
Deformation of loaded articular cartilage prepared for scanning electron microscopy with rapid freezing and freeze-substitution fixation, 76

Screws

Comparison of the fixation of subcapital femoral neck osteotomies with absorbable self-reinforced poly-L-lactide lag-screws or metallic screws in sheep, 124
Comparison of the tissue response to absorbable self-reinforced polylactide screws and metallic screws in the fixation of cancellous bone osteotomies: an experimental study on the rabbit distal femur, 398

Secretagogue

Growth hormone secretagogue increases muscle strength during remobilization after canine hindlimb immobilization, 519

Shoulder

Immunolocalization of cytokines and their receptors in adhesive capsulitis of the shoulder, 427

Spine

Fibre type characteristics of the lumbar paraspinal muscles in normal healthy subjects and in patients with low back pain, 881
Orthotopic ossification of the spinal ligaments of Zucker fatty rats: a possible animal model for ossification of the human posterior longitudinal ligament, 820
Uncinate processes and Luschka joints influence the biomechanics of the cervical spine: quantification using a finite element model of the C5-C6 segment, 342

Stair-climbing

Reproducibility of the kinematics and kinetics of the lower extremity during normal stair-climbing, 348

Strain

Compressive strains at physiological frequencies influence the metabolism of chondrocytes seeded in agarose, 181
Dependence of trabecular damage on mechanical strain, 781
Hyperpolarisation of cultured human chondrocytes following cyclical pressure-induced strain: evidence of a role for α5β1 integrin as a chondrocyte mechanoreceptor, 742
Short communication. *In vivo* measurements show tensile axial strain in the proximal lateral aspect of the human femur, 927

Stress

Ligament creep cannot be predicted from stress relaxation at low stress: a biomechanical study of the rabbit medial collateral ligament, 652
Nitric oxide and G proteins mediate the response of bovine articular chondrocytes to fluid-induced shear, 87
Short communication. Method to impact *in vivo* rabbit femoral cartilage with blows of quantifiable stress, 314

Stress-shielding

Effects of *in situ* freezing and stress-shielding on the ultrastructure of rabbit patellar tendons, 904

Subfracture insult

Subfracture insult to a knee joint causes alterations in the bone and in the functional stiffness of overlying cartilage, 450

Substance P

Calcitonin gene-related peptide, substance P, and tyrosine hydroxylase-immunoreactive innervation of rat bone marrows: an immunohistochemical and ultrastructural investigation on possible efferent and afferent mechanisms, 133

Supraspinatus tendon

Degeneration at the insertion weakens the tensile strength of the supraspinatus tendon: a comparative mechanical and histologic study of the bone-tendon complex, 719
Intrinsic healing capacity and tearing process of torn supraspinatus tendons: *in situ* hybridization study of α1(I) procollagen mRNA, 24

Significance of granulation tissue in torn supraspinatus insertions: an immunohistochemical study with antibodies against interleukin-1β, cathepsin D, and matrix metalloprotease-1, 33

Sympathectomy

Acute effects of periarterial sympathectomy on the cutaneous microcirculation, 408

Tendon

Biochemical and molecular homogeneity in the patellar tendon of the immature pig, 712
Biomechanical changes of the wrist flexor and extensor tendons following loss of scaphoid integrity, 69
Effect of freeze-drying or γ-irradiation on remodeling of tendon allograft in a rat model, 294
Effects of *in situ* freezing and stress-shielding on the ultrastructure of rabbit patellar tendons, 904
In vivo gene transfer and overexpression of focal adhesion kinase (pp125 FAK) mediated by recombinant adenovirus-induced tendon adhesion formation and epitenon cell change, 911
Similar effects of recombinant human insulin-like growth factor-I and II on cellular activities in flexor tendons of young rabbits: experimental studies *in vitro*, 256

Tibia

In situ forces in the anterior cruciate ligament and its bundles in response to anterior tibial loads, 285

Tirilazad mesylate

Studies of ischemia-reperfusion injury in skeletal muscle: efficacy of 21-aminosteroids on microcirculation and muscle contraction after an extended period of warm ischemia, 512

Tissue

Chondrocyte biosynthesis correlates with local tissue strain in statically compressed adult articular cartilage, 189
Comparison of the tissue response to absorbable self-reinforced polylactide screws and metallic screws in the fixation of cancellous bone osteotomies: an experimental study on the rabbit distal femur, 398
Forearm muscle oxygenation decreases with low levels of voluntary contraction, 507
Oxygen consumption of calvarial bone cells *in vitro*, 558
Tissue characterization of symptomatic and asymptomatic disc herniations by quantitative magnetic resonance imaging, 141

Titanium alloy

Human monocyte/macrophage response to cobalt-chromium corrosion products and titanium particles in patients with total joint replacements, 40

Total joint replacement

Human monocyte/macrophage response to cobalt-chromium corrosion products and titanium particles in patients with total joint replacements, 40

Trabecular bone

Dependence of trabecular damage on mechanical strain, 781
Surface remodeling of trabecular bone using a tissue level model, 593
Systematic and random errors in compression testing of trabecular bone, 101

Transforming growth factor

Chondrogenic phenotype of perichondrium-derived chondroprogenitor cells is influenced by transforming growth factor-beta 1, 803
Extracellular collagen modulates the regulation of chondrocytes by transforming growth factor-β1, 483
Hydrostatic pressure influences mRNA expression of transforming growth factor-β1 and heat shock protein 70 in chondrocyte-like cell line, 150
Regulation of the expression of the type-II collagen gene in periosteum-derived cells by three members of the transforming growth factor-β superfamily, 463
Temporal and spatial expression of transforming growth factor-β in the healing patellar ligament of the rat, 837

Tubulization

Functional recovery following neurorrhaphy of the rat sciatic nerve by epineurial repair compared with tubulization, 664

Tyrosine hydroxylase

Calcitonin gene-related peptide, substance P, and tyrosine hydroxylase-immunoreactive innervation of rat bone marrows: an immunohistochemical and ultrastructural investigation on possible efferent and afferent mechanisms, 133

Uncinate processes

Uncinate processes and Luschka joints influence the biomechanics of the cervical spine: quantification using a finite element model of the C5-C6 segment, 342

Wrist

Biomechanical changes of the wrist flexor and extensor tendons following loss of scaphoid integrity, 69
Effect of radial shortening on muscle and moment arms of the wrist flexors and extensors, 324
Effects of static fingertip loading on carpal tunnel pressure, 422

Zoledronate

Zoledronate (CGP 42'446), a bisphosphonate, protects against metaphyseal intracortical defects in experimental inflammatory arthritis, 858